

VNL TECHNICAL SERVICES CO. L.L.C.

DE AURA
We'll Keep You Comfortable

AIR COOLERS

PRODUCT CATALOGUE



www.deaura.ae

ABOUT DE AURA

At DE AURA, we provide exceptional air cooling solutions for both hospitality/residential and industrial needs. We focus on innovative, efficient, and reliable systems designed to enhance comfort, optimize performance, and deliver significant value across diverse environments.

Air coolers, or evaporative coolers, use water evaporation for a refreshing, healthy, and energy-efficient alternative to traditional air conditioning. They offer significant energy savings, improved air quality with fresh, filtered air, and are eco-friendly without harmful refrigerants. These systems are also cost-effective and easy to install, notably adding beneficial humidity in dry climates like Dubai.



Our Hospitality & Residential Air Coolers enhance comfort and promote healthier environments, ideal for homes, restaurants, and hotels, often featuring quiet, portable designs. Meanwhile, Industrial Air Coolers are built for robust performance, optimizing productivity in large spaces like factories and warehouses, while providing durable ventilation and odor control for demanding industrial settings.



At DE AURA, we're committed to helping you find the ideal air cooling solution. Explore our catalogue for high-performance air coolers that deliver efficiency, reliability, and superior comfort for any space.

HOSPITALITY & RESIDENTIAL EVAPORATIVE AIR COOLERS



DA DIET 3D40I

- COLOR: BLACK/WHITE
- POWER CONSUMPTION: 145 W
- POWER SUPPLY: 230 VOLTS
- TYPE: AIR COOLER
- CAPACITY: 40 LITRES



DA 6000A

- MAX AIRFLOW : 6000 M3/H
- POWER : 180W
- VOLTAGE/FREQUENCY : 220V/50HZ
- FAN TYPE : AXIAL
- FAN SPEED : 3 SPEEDS
- WATER TANK: 60L
- DIMENSIONS : 610 X 415 X 1280 MM
- SWING : AUTO FUNCTION, LEFT TO RIGHT



DA 6000B

- MAX AIR FLOW 6000 M3/H
- NET WEIGHT 18 KG
- POWER 130 W
- VOLTAGE 220V -50/60HZ
- DIMENSIONS 600 X 410 X 1250 MM
- WATER TANK 40 L



DA 4500 COMPACT

- VOLTAGE/FREQUENCY : 220-240V/50~60HZ
- AIRFLOW: 4500 M3/H
- POWER: 120 WATT
- WATER TANK CAP : 40 L
- FAN SPEED : 2 SPEEDS
- RATED CURRENT : 0.61 AMPS
- DIMENSIONS : 620X400X930 MM
- PACKING SIZE: 66*46*90CM
- OSCILLATING (WITH SWING BUTTONS)
- TREE WIND SPEEDS



DA 7500S

- MAX AIRFLOW: 7500 M3/H
- VOLTAGE/ FEQUENCY: 220V/ 50HZ
- COOLING CAPACITY: 25-40 M2
- POWER: 160W
- FAN TYPE: AXIAL
- FAN SPEED: 3 SPEEDS
- WATER TANK: 30L
- WATER CONSUMPTION: 6-10 L/H
- DIMENSIONS: 515 X 350 X 1550MM
- MANUAL FILL OR DIRECT WATER
- NET WEIGHT: 25 KG
- SWING: AUTO FUNCTION, LEFT TO RIGHT



DA 8000A

- VOLTAGE/FREQUENCY : 220V/50HZ
- AIRFLOW: 8000 M3/H
- POWER: 280 WATT
- COOLING AREA: 30-50 M2
- FAN TYPE : AXIAL
- FAN SPEED : 3 SPEEDS
- WATER TANK: 125L
- DIMENSIONS : 1360X840X400 MM
- MANUAL FILL OR DIRECT WATER
- NET WEIGHT : 35 KG
- SWING : AUTO FUNCTION, LEFT TO RIGHT



DA 9000

- VOLTAGE/FREQUENCY : 220-240V/50~60HZ
- MAX AIR FLOW : 8000 M3/H
- POWER : 295 WATT
- FAN TYPE : AXIAL
- WATER TANK CAPACITY : 60 L
- FAN SPEED : 3 SPEEDS
- WATER CONSUMPTION : 6-10 L/H
- DIMENSIONS : 430X720X1150 MM
- NET WEIGHT : 26 KG
- SWING : AUTO FUNCTION, LEFT TO RIGHT



DA 10000

- VOLTAGE/FREQUENCY : 220V/50HZ
- AIRFLOW: 8000 M3/H
- POWER: 280 WATT
- COOLING AREA: 30-50 M2
- FAN TYPE : AXIAL
- FAN SPEED : 3 SPEEDS
- WATER TANK: 125L
- DIMENSIONS : 1360X840X400 MM
- MANUAL FILL/ DIRECT WATER
- NET WEIGHT : 35 KG
- SWING : AUTO FUNCTION, LEFT TO RIGHT

HOSPITALITY & RESIDENTIAL EVAPORATIVE AIR COOLERS

DAXL DD125



- TANK CAPACITY: 125 LITERS
- DIMENSIONS: 870 X 440 X 2100 MM
- AIR DELIVERY: 8500 + 8500 M³/HR
- FAN DIAMETER: 525 MM (DUAL FANS)
- COOLING PAD THICKNESS: 50 MM
- POWER CONSUMPTION: 215W X 2
- NET WEIGHT: 40 KG
- AIR THROW DISTANCE: 20 METERS



DA-777 PLUS

- MAX AIRFLOW: 6500 M³/H
- COLOR: GREY
- POWER CONSUMPTION: 580 W
- TYPE: AIR COOLER
- CAPACITY: 100 LITRES
- COOLING AREA: LARGE COMMERCIAL AND INDUSTRIAL SPACES
- WATER TANK CAPACITY: HIGH CAPACITY FOR NON-STOP COOLING

INDUSTRIAL EVAPORATIVE AIR COOLERS

DA 10000



- VOLTAGE/FREQUENCY : 220V/50HZ
- AIRFLOW: 8000 M³/H
- POWER: 280 WATT
- COOLING AREA: 30-50 M²
- FAN TYPE : AXIAL
- FAN SPEED : 3 SPEEDS
- WATER TANK: 125L
- DIMENSIONS : 1360X840X400 MM
- MANUAL FILL/ DIRECT WATER
- NET WEIGHT : 35 KG
- SWING : AUTO FUNCTION, LEFT TO RIGHT



DA 18000

- MAX AIRFLOW: 18000 M³/H
- VOLTAGE/FREQUENCY : 220V/50HZ
- POWER: 750 WATT
- COOLING CAPACITY: 100-150 M²
- FAN SPEED : 3 SPEEDS
- WATER TANK: 60L
- DIMENSIONS : 1120X600X1500 MM
- MANUAL FILL OR DIRECT WATER
- NET WEIGHT : 62 KG
- SWING : AUTO FUNCTION, LEFT TO RIGHT

DA 23000




- MAX AIR FLOW: 23000M³/H
- VOLTAGE: 220-240V
- FREQUENCY: 50/60HZ
- RATED POWER: 1100W
- WATER CONSUMPTION: 10-15L/H
- WATER CAPACITY: 150L
- SIZE: 1120*690*1730MM
- WEIGHT: 68KGS
- EFFECTIVE AREA: 200-250m²



DA 24000

- MAX AIR FLOW: 24000M³/H
- VOLTAGE: 220-240V
- FREQUENCY: 50/60HZ
- RATED POWER: 1100W
- WATER CONSUMPTION: 10-15L/H
- WATER CAPACITY: 150L
- SIZE: 1120*690*1730MM
- WEIGHT: 68KGS
- EFFECTIVE AREA: 200-250m²

DA 26000



- POWER INPUT: 220-240V / 50-60HZ
- AIR FLOW: 26000 M³/H
- POWER: 8500W
- DIMENSION: 113*64*1600 CM
- WATER TANK CAPACITY : 150L
- WEIGHT: NET 50KG
- ESTIMATED COOLING AREA: 200-250M²
- WATER CONSUMPTION: 10-15L/H



DA 28000

- POWER SUPPLY: 220V/50HZ
- MAX AIRFLOW: 28500 M³/H
- POWER SOURCE TYPE: CORDED ELECTRIC CONTROL HUMIDITY CONTROL
- WATER TANK CAPACITY: 200 L
- NOISE LEVEL: 68 DB(A)
- FAN DIAMETER: 525 MM
- AIR VOLUME: 28500 M³/H
- SPECIAL FEATURES: 3-SPEED CONTROL
- COOLING MEDIA: HONEYCOMB

INDUSTRIAL EVAPORATIVE AIR COOLERS



DA 30000

- AIR FLOW – 30,000 M³/H
- POWER SUPPLY – 220V, 50HZ
- POWER CONSUMPTION – 1.1 KILO WATT
- WATER TANK – 200 L
- WATER CONSUMPTION – 10-15 L/H,
- BODY MATERIAL – HDPE
- SIZE – 1800X1600X800 MM



DA M502 T18

- MAX AIRFLOW: 48000 M³/H
- 28272 CFM
- SPEED MAX: 660 RPM (VARIABLE)
- VOLTAGE/FREQUENCY: 220V/50HZ
- MOTOR: 2HP
- CURRENT(MAX.): 7.6A±10%
- POWER CONSUMPTION: 1100W/H±10%
- WATER TANK: 230L / 60G
- SOUND: 70DB
- DIMENSIONS(HXWXD): 220X180X88 CM
- NET WEIGHT: 185 KG



DA M602 T32

- MAX AIRFLOW : 32000 M³/H
- 18848 CFM
- SPEED MAX: 540 RPM (VARIABLE)
- V/F: 220V/50HZ
- MOTOR: 1.5 HP
- SHUTTERS: NO
- FAN: 42" 6 NYLON 6 + FIBER
- CURRENT(MAX.): 6.9A±10%
- COOLING CAP: 300 M²/3229 S.F.
- POWER: 960W/H±10%
- WATER TANK: 180L / 48G
- SOUND: 70DB
- DIMENSIONS: 186X155X81CM
- NET WEIGHT: 120 KG




DA-18S

- COOLING AREA: MEDIUM-SIZED ROOMS
- WATER TANK CAPACITY: MODERATE FOR DAILY USE
- BEST FOR: APARTMENTS, OFFICES, AND STUDY ROOMS



FREE INDUSTRIAL AIR COOLER

- AIR FLOW: 24000M³/H
- AIR COVER: 150-200M²
- MOTOR: 1.1KW
- FREQUENCY CONTROL WITH LED DISPLAY, 1PHASECOPPER WIRE
- POWER SUPPLY: 220V/ 50HZ
- WATER CONSUMPTION: 5-10L/H
- WATER TANK: 20L
- NOISE: 70DB



DA-COMMERCIAL DAX1100

- COLOR: GREY
- POWER CONSUMPTION: 580 W
- TYPE: AIR COOLER
- CAPACITY: 100 LITRES
- COOLING AREA: LARGE COMMERCIAL AND INDUSTRIAL SPACES
- WATER TANK CAPACITY: HIGH CAPACITY FOR NON-STOP COOLING
- BEST FOR: FACTORIES, WAREHOUSES, AND EVENT HALLS

VNL TECHNICAL SERVICES CO. L.L.C.

DE AURA HEATERS

PRODUCT CATALOGUE



www.deaura.ae




DE-900 PORTABLE ELECTRIC HEATER

- VOLTAGE: 220V-50HZ
- MATERIAL: PLASTIC
- POWER: 900-1800W
- HEATER HEATING METHOD: ELECTRIC HEATING WIRE
- PRODUCT DIMENSIONS : 12.5 X 24.5 X 24.5 CM; 1.2 KILOGRAMS
- COLOR: WHITE
- PACKAGE DIMENSIONS 28 X 23.6 X 16.2 CM 1.4 KILOGRAMS
- MATERIAL: PLASTIC SPECIAL FEATURES:
- ENERGY EFFICIENT ITEM WEIGHT: 1.4 KILOGRAMS



DEAURA VERTICAL PORTABLE HEATER

- COLOR: WHITE
- PACKAGE DIMENSIONS 28 X 23.6 X 16.2 CM
- 1.4 KILOGRAMS
- MATERIAL: PLASTIC
- SPECIAL FEATURES: ENERGY EFFICIENT
- ITEM WEIGHT: 1.4 KILOGRAMS



DEAURA 1500 WALL MOUNT ELECTRIC HEATER

- INSTALLATION: WALL MOUNT
- VENTILATION: WITH VENTILATION
- DIMENSIONS: 1500W/2000W/L*W*H(MM) : 574X100X145
- VOLTAGE: 220V-50HZ
- POWER: 1500W



DEAURA 1.5K FLOOR STANDING HEATER

- TYPE OF HEATER: FLOOR STANDING
- HEATING ELEMENT: 2 HALOGEN TUBES OR CARBON FIBER TUBES FOR OPTIONAL.
- HEAT POWER: 1500W
- SUPPLY CORD: 3G*1.0MM2*3.7M/3G*1.5MM2*3.7 M.
- HEIGHT: (190CM)
- CERTIFICATION OF PRODUCT: CE GS SAA CB ROHS EMC
- WEIGHT: 10.45KG



DEAURA CARBON LAMP FLOOR HEATER

- TYPE OF HEATER: FLOOR STANDING
- HEATING ELEMENT: 2 HALOGEN TUBES OR CARBON FIBER TUBES FOR OPTIONAL.
- HEAT POWER: 1500W
- SUPPLY CORD: 3G*1.0MM2*3.7M/3G*1.5MM2*3.7M.
- HEIGHT: (190CM)
- CERTIFICATION OF PRODUCT: CE GS SAA CB ROHS EMC
- WEIGHT: 10.45KG



DEAURA CERAMIC HEATER WITH REMOTE CONTROL, 1000W

- VOLTAGE : 220V-50HZ
- POWER : 1000W- 2000W
- REMOTE : YES
- ADJUSTABLE THERMOSTAT
- OVERHEAT AND TIP OVER PROTECTION : YES
- COLOR : BLACK
- DIMENSIONS : 11 X 11 X 34 INCHES (27.9 X 27.9 X 86.4 CM)
- USAGE : INDOOR
- QUICK HEATING



DEAURA CERAMIC HOT HEATER 2000W

- COLOUR : WHITE
- ENERGY USED : ELECTRIC
- FEATURE 1 : CORDED
- FEATURE 2 : THERMAL
- INSTALLATION : FLOOR STANDING
- MATERIAL : PLASTIC
- WATTAGE : 2000 W



DEAURA HD MUSHROOM GAS HEATER


- REFLECTOR DIAMETER : 815MM
- HEIGHT: 2238MM
- BASE DIAMETER: 450MM
- FUEL: LP GAS
- POWER: 5-13KW
- GAS CONSUMPTION: 0.45-0.87KG/H
- HEAT RADIATION : 20 SQM
- FLAME: PILOT FLAME
- IGNITION: PULSE
- MAIN POLE: Ø76MM
- GROSS WEIGHT: 18KG
- SAFETY: ANTI-TILT & AUTO SHUT-OFF

HEATERS



DEAURA HD PYRAMID GAS HEATER

- SHAPE : PYRAMID TYPE TRIANGULAR
- REFLECTOR DIAMETER : 815MM
- OUTSIDE DIMENSION: 480MM
- (REFLECTOR DIA.)*2220MM (HEIGHT)*530MM (BASE DIA.)



DEAURA VOLCANO CARBON FIBER HEATER

- POWER: 1500W / 2000W
- VOLTAGE: 220-240V 50 HZ
- HEATING AREA: 5-8M2
- FILAMENT: CARBON FIBER LAMP
- SAFETY FEATURE: TIP OVER FUNCTION
- CERTIFICATED: CE
- COLOR OPTION: BLACK
- IP44



DEAURA HD ROUND FLAME GAS HEATER BLACK COLOR

- ROUND FLAME TUBE OUTDOOR HEATER
- FLAME GAS PATIO HEATER
- GLASS TUBE POWDER COATED STEEL PATIO GAS HEATER
- GAS TYPE: PROPANE, BUTANE AND MIXTURES (LPG)
- HEAT OUTPUT: MAX: 9.5 KW (450-870G/H)
- ANTI-TILT SWITCH AND FLAME AUTO SHUT-OFF DEVICE.
- SECTIONAL/3-PC ALUMINUM REFLECTOR
- BROWN CARTON. 1PC IN 1 CARTON.
- PRODUCT SIZE: DIA.790MM X 2120 MM(H)
- CONSUMPTION: 945GR / H



DEAURA HD ROUND FLAME SS GAS HEATER

- FLAME GAS PATIO HEATER
- GLASS TUBE POWDER COATED STEEL PATIO GAS HEATER
- GAS TYPE: PROPANE, BUTANE AND MIXTURES (LPG)
- HEAT OUTPUT: MAX: 9.5 KW (450-870G/H)
- ANTI-TILT SWITCH AND FLAME AUTO SHUT-OFF DEVICE.
- SECTIONAL/3-PC ALUMINUM REFLECTOR
- BROWN CARTON. 1PC IN 1 CARTON.
- PRODUCT SIZE: DIA.790MM X 2120 MM(H)
- CONSUMPTION: 945GR / H
- SS COLOR

CLIENTS

- EMAAR
- DUBAI COURTS
- SPD CONTRACTING DAMAC
- HABTOOR GROUP
- FIVE HOTELS
- DUBAI MARINE RESORT HEAL HUB
- EXCELLENCY PHYSIOTHERAPY
- LONGEVITY SPORTS
- AB FITNESS
- PRECISION WELLNESS
- ROLLS ROYCE MIDDLE EAST
- ARAMEX UAE
- HABTOOR PALACE HOTEL
- GRAND AL HABTOOR
- MILLENNIUM HOTEL
- ANANTARA THE PALM
- ONE N ONLY THE PALM
- FOUR SEASONS HOTELS AND RESORTS
- ALEC CONTRACTING



VNL TECHNICAL SERVICES CO. L.L.C.

ADDRESS: WAREHOUSE NO 8, STREET # 13TH, AL QUSAIS
INDUSTRIAL AREA 2, DUBAI, UAE
EMAIL: SALES@VNLTECHNICAL.COM
CONTACT: +971 50 2251056 WHATSAPP: +971 50 2251056

