DE AURA HEATERS

PRODUCT CATALOGUE

Patio Heater Collection

Standard & Premium Range

FOR SALE FOR RENTAL



Warehouse 8, Al Qusais 2, Dubai, United Arab Emirates
+971 50 2251 056 www.deaura.ae

Gas regulator and gas cylinder are not included and are sold separately.

STANDARD COLLECTION

Proven performance.

Our core gas patio heaters: the HD Pyramid and the HD Round Flame, each in stainless steel and black.



DE AURA

HD Pyramid

Stainless Steel

11 kW · 2220 mm

Datasheet · p.4



DE AURA

HD Pyramid

Black

11 kW · 2220 mm

Datasheet · p.5



DE AURA

HD Round Flame

Stainless Steel

Max 9.5 kW · 2120 mm

Datasheet · p.6



DE AURA

HD Round Flame

Black

Max 9.5 kW · 2120 mm

Datasheet · p.7

Gas regulator and gas cylinder are not included and are sold separately.

PREMIUM COLLECTION

Signature designs.

Sculptural black heaters with distinctive shapes, for spaces where the heater is part of the design.




DE AURA

Onyx Royale

Black lattice pyramid

Max 13 kW · 2270 mm

Datasheet · p.8



DE AURA

Phoenix

Black wave-design tower

Max 13 kW · 2270 mm

Datasheet · p.9



DE AURA

Fire Pit

Glass Heater

13 kW · 1460 mm

Datasheet · p.10

Gas regulator and gas cylinder are not included and are sold separately.

STANDARD COLLECTION


HD Pyramid Stainless Steel

Gas patio heater

FOR SALE FOR RENTAL

A freestanding outdoor gas heater with a square stainless steel body and a 360° quartz glass flame tube. It spreads heat evenly around your seating area while adding a decorative flame.

Dubai Civil Defence Approved



KEY FEATURES

- 360° quartz glass flame tube
- Even heat spread around seating areas
- Built-in wheels for easy moving
- Electric pulse ignition, adjustable heat
- Anti-tilt, auto shut-off, flame failure protection

11 kW
HEAT OUTPUT

~20 m²
HEATING AREA

2220 mm (2.22 m)
TOTAL HEIGHT

27 kg
GROSS WEIGHT

TECHNICAL DETAILS

GENERAL

Model	HD Pyramid
Product type	Outdoor pyramid flame patio heater
Material	Stainless steel body, quartz glass flame tube
Finish	Stainless Steel

CONTROLS

Ignition	Electric pulse (battery operated)
Gas control	Adjustable variable gas control valve

NOT INCLUDED

Accessories	Gas regulator and gas cylinder (sold separately)

SIZE & WEIGHT

Total height	2220 mm (2.22 m)
Reflector Ø	480 mm
Base Ø	530 mm
Gross weight	27 kg
Heating area	Up to approx. 20 m²

POWER & FUEL

Power output	11 kW (approx. 37,500 BTU/hr)
Gas consumption	0.4 – 0.75 kg/hr
Fuel type	LPG (propane)
Gas cylinder	Standard 5 – 13 kg LPG cylinder (not included)

Gas regulator and gas cylinder are not included and are sold separately.

STANDARD COLLECTION

HD Pyramid Black

Gas patio heater

FOR SALE FOR RENTAL

A freestanding outdoor gas heater with a square black-finish body and a 360° quartz glass flame tube. It spreads heat evenly around your seating area while adding a decorative flame.

Dubai Civil Defence Approved



KEY FEATURES

- 360° quartz glass flame tube
- Even heat spread around seating areas
- Built-in wheels for easy moving
- Electric pulse ignition, adjustable heat
- Anti-tilt, auto shut-off, flame failure protection

11 kW
HEAT OUTPUT

~20 m²
HEATING AREA

2220 mm (2.22 m)
TOTAL HEIGHT

27 kg
GROSS WEIGHT

TECHNICAL DETAILS

GENERAL

Model	HD Pyramid
Product type	Outdoor pyramid flame patio heater
Material	Black-finish body, quartz glass flame tube
Finish	Black

CONTROLS

Ignition	Electric pulse (battery operated)
Gas control	Adjustable variable gas control valve

NOT INCLUDED

Accessories	Gas regulator and gas cylinder (sold separately)

SIZE & WEIGHT

Total height	2220 mm (2.22 m)
Reflector Ø	480 mm
Base Ø	530 mm
Gross weight	27 kg
Heating area	Up to approx. 20 m²

POWER & FUEL

Power output	11 kW (approx. 37,500 BTU/hr)
Gas consumption	0.4 – 0.75 kg/hr
Fuel type	LPG (propane)
Gas cylinder	Standard 5 – 13 kg LPG cylinder (not included)

Gas regulator and gas cylinder are not included and are sold separately.

STANDARD COLLECTION

HD Round Flame Stainless Steel

Round flame gas patio heater

FOR SALE FOR RENTAL

A freestanding round-flame outdoor gas heater with a glass flame tube and a sectional aluminium reflector. Runs on propane, butane or LPG mixtures, with anti-tilt and flame auto shut-off protection.



KEY FEATURES

- Round glass flame tube
- Sectional 3-piece aluminium reflector
- Propane, butane and LPG mixtures
- Anti-tilt switch and flame auto shut-off
- Finish: Stainless Steel

Max 9.5 kW
HEAT OUTPUT

2120 mm (2.12 m)
TOTAL HEIGHT

790 mm
DIAMETER

LPG
FUEL

TECHNICAL DETAILS

GENERAL

Model	HD Round Flame
Product type	Round flame tube outdoor gas patio heater
Material	Steel body, glass flame tube
Finish	Stainless Steel
Reflector	Sectional 3-piece aluminium

SAFETY

Safety	Anti-tilt switch and flame auto shut-off device

SIZE & WEIGHT

Total height	2120 mm (2.12 m)
Diameter	790 mm
Packing	1 pc per brown carton

POWER & FUEL

Power output	Max. 9.5 kW (450 – 870 g/h)
Gas consumption	945 g/h
Fuel type	Propane, butane and LPG mixtures

NOT INCLUDED

Accessories	Gas regulator and gas cylinder (sold separately)

Gas regulator and gas cylinder are not included and are sold separately.

STANDARD COLLECTION

HD Round Flame Black

Round flame gas patio heater

FOR SALE FOR RENTAL

A freestanding round-flame outdoor gas heater with a glass flame tube and a sectional aluminium reflector. Runs on propane, butane or LPG mixtures, with anti-tilt and flame auto shut-off protection.



KEY FEATURES

- Round glass flame tube
- Sectional 3-piece aluminium reflector
- Propane, butane and LPG mixtures
- Anti-tilt switch and flame auto shut-off
- Finish: Black

Max 9.5 kW
HEAT OUTPUT

2120 mm (2.12 m)
TOTAL HEIGHT

790 mm
DIAMETER

LPG
FUEL

TECHNICAL DETAILS

GENERAL

Model	HD Round Flame
Product type	Round flame tube outdoor gas patio heater
Material	Steel body, glass flame tube
Finish	Black
Reflector	Sectional 3-piece aluminium

SAFETY

Safety	Anti-tilt switch and flame auto shut-off device

SIZE & WEIGHT

Total height	2120 mm (2.12 m)
Diameter	790 mm
Packing	1 pc per brown carton

POWER & FUEL

Power output	Max. 9.5 kW (450 – 870 g/h)
Gas consumption	945 g/h
Fuel type	Propane, butane and LPG mixtures

NOT INCLUDED

Accessories	Gas regulator and gas cylinder (sold separately)

Gas regulator and gas cylinder are not included and are sold separately.

PREMIUM COLLECTION

Onyx Royale

Black lattice pyramid heater

FOR SALE FOR RENTAL

A freestanding black patio heater with a lattice cut-out pyramid body and diamond-cut detailing on the base. Designed to be the centrepiece of premium outdoor spaces.



KEY FEATURES

- Lattice cut-out pyramid body
- Diamond-cut detailing on the base
- Glass tube flame system
- One-piece reflector
- Anti-tilt and automatic shut-off

Max 13 kW
HEAT OUTPUT

2270 mm (2.27 m)
TOTAL HEIGHT

945 g/h
CONSUMPTION

LPG
FUEL

TECHNICAL DETAILS

Further specifications available on request.

GENERAL

Model	DE AURA Onyx Royale
Product type	Outdoor patio gas heater
Design	Freestanding pyramid, lattice cut-out body
Finish	Black
Features	Glass tube flame system, one-piece reflector

SAFETY

Anti-tilt switch	Shuts off automatically if the heater tilts or falls
Shut-off device	Ensures safe operation and prevents gas leakage

SIZE & WEIGHT

Total height	2270 mm (2.27 m)

POWER & FUEL

Power output	Max. 13 kW (945 g/h)
Fuel type	Propane, butane and LPG mixtures
Gas cylinder	Standard LPG tank (not included)

NOT INCLUDED

Accessories	Gas regulator and gas cylinder (sold separately)

Gas regulator and gas cylinder are not included and are sold separately.

PREMIUM COLLECTION

Phoenix

Black wave-design tower heater

FOR SALE FOR RENTAL

A freestanding black patio heater with a flowing wave-design cage on a hexagonal base and a wheel at the base for repositioning. A sculptural statement piece for terraces, lounges and events.



KEY FEATURES

- Flowing wave-design flame cage
- Hexagonal base with wheel
- Glass tube flame system
- One-piece reflector
- Anti-tilt and automatic shut-off

Max 13 kW
HEAT OUTPUT

2270 mm (2.27 m)
TOTAL HEIGHT

945 g/h
CONSUMPTION

LPG
FUEL

TECHNICAL DETAILS

Further specifications available on request.

GENERAL

Model	DE AURA Phoenix
Product type	Outdoor patio gas heater
Design	Freestanding tower, hexagonal base, wave-design cage
Finish	Black
Features	Glass tube flame system, one-piece reflector

SAFETY

Anti-tilt switch	Shuts off automatically if the heater tilts or falls
Shut-off device	Ensures safe operation and prevents gas leakage

SIZE & WEIGHT

Total height	2270 mm (2.27 m)

POWER & FUEL

Power output	Max. 13 kW (945 g/h)
Fuel type	Propane, butane and LPG mixtures
Gas cylinder	Standard LPG tank (not included)

NOT INCLUDED

Accessories	Gas regulator and gas cylinder (sold separately)

Gas regulator and gas cylinder are not included and are sold separately.

PREMIUM COLLECTION

Fire Pit Glass Heater

Glass gas heater, fire-pit style

FOR SALE FOR RENTAL

A square fire-pit style gas heater with glass panels around the flame, decorative stones and castor wheels. Light at 13 kg and finished in powder-coated steel.



KEY FEATURES

- Glass panels around the flame
- Castor wheels for easy moving
- Flame-out protection
- Adjustable thermostat lighting
- Burn time 5 – 13 hours

13 kW
HEAT OUTPUT

1460 mm (1.46 m)
TOTAL HEIGHT

13 kg
WEIGHT

5 – 13 h
BURN TIME

TECHNICAL DETAILS

Further specifications available on request.

GENERAL

Model	Fire Pit Gas Heater
Product type	Fire pit glass gas heater
Material	Powder-coated steel
Shape	Square
Finish	Black

CONTROLS

Lighting	Adjustable thermostat lighting

SAFETY

Safety	Flame-out protection

SIZE & WEIGHT

Size (L×W×H)	146 × 42 × 42 cm
Weight	13 kg

POWER & FUEL

Power output	13 kW
Gas consumption	Min. 0.52 – Max. 0.95 kg/h
Gas cylinder	LPG, max. 11 kg (not included)
Burn time	5 – 13 hours
Gas options	Natural gas: 3 options

NOT INCLUDED

Accessories	Gas regulator and gas cylinder (sold separately)

Gas regulator and gas cylinder are not included and are sold separately.

SAFETY

Safety, built in.

Features vary by model. See each datasheet for details.

Anti-tilt switch

Automatically shuts off the gas flow if the heater tilts or falls.

Automatic shut-off

Enhances safety and prevents gas leakage.

Flame failure protection

Stops the gas supply if the flame is accidentally extinguished.

GOOD TO KNOW

Not for use in the rain	Like all patio heaters, it should not be used in the rain.
Gas regulator & cylinder	Not included. Sold separately.
Approved for Dubai	HD Pyramid is Dubai Civil Defence Approved.

AVAILABLE FOR SALE & RENTAL

Get in touch to book or buy.

Warehouse 8, Al Qusais 2, Dubai, United Arab Emirates

+971 50 2251 056 www.deaura.ae

Gas regulator and gas cylinder are not included and are sold separately.

DE AURA HEATERS

كتالوج المنتجات

مجموعة
مدافئ الباحات

الفئة القياسية والفئة المميزة

للبيع | للإيجار




مستودع 8، القصيص 2، دبي، الإمارات العربية المتحدة
+971 50 2251 056 www.deaura.ae

منظم الغاز وأسطوانة الغاز غير مشمولين ويباعان بشكل منفصل.

الفئة القياسية

أداء موثوق.

مدافئ الغاز الأساسية: HD Pyramid و HD Round Flame، متوفرة بلون الستانلس ستيل واللون الأسود.



DE AURA

HD Pyramid

ستانلس ستيل

11 kW · 2220 mm

ورقة البيانات · صفحة 4



DE AURA

HD Pyramid

أسود

11 kW · 2220 mm

ورقة البيانات · صفحة 5



DE AURA

HD Round Flame

ستانلس ستيل

Max 9.5 kW · 2120 mm

ورقة البيانات · صفحة 6



DE AURA

HD Round Flame

أسود

Max 9.5 kW · 2120 mm

ورقة البيانات · صفحة 7

منظم الغاز وأسطوانة الغاز غير مشمولين ويباعان بشكل منفصل.

الفئة المميزة

تصاميم مميزة.

مدافئ سوداء بتصاميم نحتية وأشكال مميزة، للمساحات التي تكون فيها المدفأة جزءا من التصميم.




DE AURA

Onyx Royale

هرم أسود بنقوش شبكية

Max 13 kW · 2270 mm

ورقة البيانات · صفحة 8



DE AURA

Phoenix

برج أسود بتصميم موجي

Max 13 kW · 2270 mm

ورقة البيانات · صفحة 9



DE AURA


Fire Pit

مدفأة زجاجية

13 kW · 1460 mm

ورقة البيانات · صفحة 10

منظم الغاز وأسطوانة الغاز غير مشمولين ويباعان بشكل منفصل.



الفئة القياسية

HD Pyramid
ستانلس ستيل

مدفأة غاز للأماكن الخارجية

للبيع | للإيجار

مدفأة غاز خارجية قائمة بذاتها بهيكل مربع من الستانلس ستيل وأنبوب لهب من زجاج الكوارتز بزاوية 360°. توزع الحرارة بالتساوي حول منطقة الجلوس وتضيف لها مزخرفا.

معتمد من الدفاع المدني في دبي

الميزات الرئيسية

- أنبوب لهب من زجاج الكوارتز 360°
- توزيع متساو للحرارة حول مناطق الجلوس
- عجلات مدمجة لسهولة التحريك
- إشعال كهربائي نبضي وتحكم بدرجة الحرارة
- منع الانقلاب وإيقاف تلقائي وحماية من انطفاء اللهب

11 kW	~20 m²	2220 mm (2.22 m)	27 kg
القدرة الحرارية	مساحة التدفئة	الارتفاع الكلي	الوزن الإجمالي

المواصفات الفنية

عام

الموديل	HD Pyramid
نوع المنتج	مدفأة غاز لهبية هرمية للأماكن الخارجية
المادة	هيكل من الستانلس ستيل وأنبوب لهب من زجاج الكوارتز
التشطيب	ستانلس ستيل

التحكم

الإشعال	إشعال كهربائي نبضي (يعمل بالبطارية)
التحكم بالغاز	صمام تحكم متغير بالغاز قابل للتعديل

غير مشمول

الملحقات	منظم الغاز وأسطوانة الغاز (يباعان بشكل منفصل)

الأبعاد والوزن

الارتفاع الكلي	2220 mm (2.22 m)
قطر العاكس	480 mm
قطر القاعدة	530 mm
الوزن الإجمالي	27 kg
مساحة التدفئة	حتى حوالي 20 m²

القدرة والوقود

القدرة الحرارية	11 kW (approx. 37,500 BTU/hr)
استهلاك الغاز	0.4 – 0.75 kg/hr
نوع الوقود	غاز البترول المسال (بروبان)
أسطوانة الغاز	أسطوانة غاز 5 – 13 كجم (غير مشمولة)

منظم الغاز وأسطوانة الغاز غير مشمولين ويباعان بشكل منفصل.



الفئة القياسية

HD Pyramid أسود

مدفأة غاز للأماكن الخارجية

للبيع | للإيجار

مدفأة غاز خارجية قائمة بذاتها بهيكل مربع بتشطيب أسود وأنبوب لهب من زجاج الكوارتز بزاوية 360°. توزع الحرارة بالتساوي حول منطقة الجلوس وتضيف لهبا مزخرفا.

معتمد من الدفاع المدني في دبي

الميزات الرئيسية

- أنبوب لهب من زجاج الكوارتز 360°
- توزيع متساو للحرارة حول مناطق الجلوس
- عجلات مدمجة لسهولة التحريك
- إشعال كهربائي نبضي وتحكم بدرجة الحرارة
- منع الانقلاب وإيقاف تلقائي وحماية من انطفاء اللهب

11 kW	~20 m²	2220 mm (2.22 m)	27 kg
القدرة الحرارية	مساحة التدفئة	الارتفاع الكلي	الوزن الإجمالي

المواصفات الفنية

عام

الموديل	HD Pyramid
نوع المنتج	مدفأة غاز لهبية هرمية للأماكن الخارجية
المادة	هيكل بتشطيب أسود وأنبوب لهب من زجاج الكوارتز
التشطيب	أسود

التحكم

الإشعال	إشعال كهربائي نبضي (يعمل بالبطارية)
التحكم بالغاز	صمام تحكم متغير بالغاز قابل للتعديل

غير مشمول

الملحقات	منظم الغاز وأسطوانة الغاز (يباعان بشكل منفصل)

الأبعاد والوزن

الارتفاع الكلي	2220 mm (2.22 m)
قطر العاكس	480 mm
قطر القاعدة	530 mm
الوزن الإجمالي	27 kg
مساحة التدفئة	حتى حوالي 20 m²

القدرة والوقود

القدرة الحرارية	11 kW (approx. 37,500 BTU/hr)
استهلاك الغاز	0.4 – 0.75 kg/hr
نوع الوقود	غاز البترول المسال (بروبان)
أسطوانة الغاز	أسطوانة غاز 5 – 13 كجم (غير مشمولة)

منظم الغاز وأسطوانة الغاز غير مشمولين ويباعان بشكل منفصل.



الفئة القياسية

HD Round Flame
ستانلس ستيل

مدفأة غاز بلهب دائري

للبيع | للإيجار

مدفأة غاز خارجية قائمة بذاتها بأنبوب لهب دائري زجاجي وعاكس ألمنيوم مقسم. تعمل بالبروبان أو البيوتان أو خلائط غاز البترول المسال، مع حماية من الانقلاب وإيقاف تلقائي عند انطفاء اللهب.

الميزات الرئيسية

- أنبوب لهب زجاجي دائري
- عاكس ألمنيوم مقسم من 3 قطع
- يعمل بالبروبان والبيوتان وخلائط غاز البترول المسال
- مفتاح منع الانقلاب وإيقاف تلقائي للهب
- التشطيب: ستانلس ستيل

Max 9.5 kW	2120 mm (2.12 m)	790 mm	LPG
القدرة الحرارية	الارتفاع الكلي	القطر	الوقود

المواصفات الفنية

عام

الموديل	HD Round Flame
نوع المنتج	مدفأة غاز خارجية بأنبوب لهب دائري
المادة	هيكل معدني وأنبوب لهب زجاجي
التشطيب	ستانلس ستيل
العاكس	ألمنيوم مقسم من 3 قطع

السلامة

السلامة	مفتاح منع الانقلاب وجهاز إيقاف تلقائي عند انطفاء اللهب

الأبعاد والوزن

الارتفاع الكلي	2120 mm (2.12 m)
القطر	790 mm
التغليف	قطعة واحدة في كل كرتونة بنية

القدرة والوقود

القدرة الحرارية	Max. 9.5 kW (450 – 870 g/h)
استهلاك الغاز	945 g/h
نوع الوقود	بروبان وبيوتان وخلائط غاز البترول المسال

غير مشمول

الملحقات	منظم الغاز وأسطوانة الغاز (يباعان بشكل منفصل)

منظم الغاز وأسطوانة الغاز غير مشمولين ويباعان بشكل منفصل.



الفئة القياسية

HD Round Flame أسود

مدفأة غاز بلهب دائري

للبيع | للإيجار

مدفأة غاز خارجية قائمة بذاتها بأنبوب لهب دائري زجاجي وعاكس ألمنيوم مقسم. تعمل بالبروبان أو البيوتان أو خلائط غاز البترول المسال، مع حماية من الانقلاب وإيقاف تلقائي عند انطفاء اللهب.

الميزات الرئيسية

- أنبوب لهب زجاجي دائري
- عاكس ألمنيوم مقسم من 3 قطع
- يعمل بالبروبان والبيوتان وخلائط غاز البترول المسال
- مفتاح منع الانقلاب وإيقاف تلقائي للهب
- التشطيب: أسود

Max 9.5 kW	2120 mm (2.12 m)	790 mm	LPG
القدرة الحرارية	الارتفاع الكلي	القطر	الوقود

المواصفات الفنية

عام

الموديل	HD Round Flame
نوع المنتج	مدفأة غاز خارجية بأنبوب لهب دائري
المادة	هيكل معدني وأنبوب لهب زجاجي
التشطيب	أسود
العاكس	ألمنيوم مقسم من 3 قطع

السلامة

السلامة	مفتاح منع الانقلاب وجهاز إيقاف تلقائي عند انطفاء اللهب

الأبعاد والوزن

الارتفاع الكلي	2120 mm (2.12 m)
القطر	790 mm
التغليف	قطعة واحدة في كل كرتونة بنية

القدرة والوقود

القدرة الحرارية	Max. 9.5 kW (450 – 870 g/h)
استهلاك الغاز	945 g/h
نوع الوقود	بروبان وبيوتان وخلائط غاز البترول المسال

غير مشمول

الملحقات	منظم الغاز وأسطوانة الغاز (يباعان بشكل منفصل)

منظم الغاز وأسطوانة الغاز غير مشمولين ويباعان بشكل منفصل.



الفئة المميزة

Onyx Royale

مدفأة هرمية سوداء بنقوش شبكية

للبيع | للإيجار

مدفأة باحات سوداء قائمة بذاتها بهيكل هرمي بنقوش شبكية مفرغة وتفاصيل بقطع معينة عند القاعدة. صممت لتكون محور الاهتمام في المساحات الخارجية الراقية.

الميزات الرئيسية

- هيكل هرمي بنقوش شبكية مفرغة
- تفاصيل بقطع معينة عند القاعدة
- نظام لهب بأنبوب زجاجي
- عاكس من قطعة واحدة
- منع الانقلاب وإيقاف تلقائي

Max 13 kW
القدرة الحرارية

2270 mm (2.27 m)
الارتفاع الكلي

945 g/h
الاستهلاك

LPG
الوقود

المواصفات الفنية

مواصفات إضافية متاحة عند الطلب.

عام

الموديل	DE AURA Onyx Royale
نوع المنتج	مدفأة غاز للأماكن الخارجية
التصميم	هيكل هرمي قائم بنقوش شبكية مفرغة
التشطيب	أسود
الميزات	نظام لهب بأنبوب زجاجي وعاكس من قطعة واحدة

السلامة

منع الانقلاب	يغلق الغاز تلقائيا عند ميلان المدفأة أو سقوطها
جهاز الإيقاف	يضمن التشغيل الآمن ويمنع تسرب الغاز

الأبعاد والوزن

الارتفاع الكلي	2270 mm (2.27 m)

القدرة والوقود

القدرة الحرارية	Max. 13 kW (945 g/h)
نوع الوقود	بروبان وبيوتان وخلائط غاز البترول المسال
أسطوانة الغاز	أسطوانة غاز البترول المسال القياسية (غير مشمولة)

غير مشمول

الملحقات	منظم الغاز وأسطوانة الغاز (يباعان بشكل منفصل)

منظم الغاز وأسطوانة الغاز غير مشمولين ويباعان بشكل منفصل.



الفئة المميزة

Phoenix

مدفأة برجية سوداء بتصميم موجي

للبيع | للإيجار

مدفأة باحات سوداء قائمة بذاتها بقفص لهب بتصميم موجي على قاعدة سداسية، مع عجلة عند القاعدة لتسهيل نقلها. قطعة فنية تضفي طابعا مميزا على الشرفات والصالات والفعاليات.

الميزات الرئيسية

- قفص لهب بتصميم موجي منساب
- قاعدة سداسية مع عجلة
- نظام لهب بأنبوب زجاجي
- عاكس من قطعة واحدة
- منع الانقلاب وإيقاف تلقائي

Max 13 kW
القدرة الحرارية

2270 mm (2.27 m)
الارتفاع الكلي

945 g/h
الاستهلاك

LPG
الوقود

المواصفات الفنية

مواصفات إضافية متاحة عند الطلب.

عام

الموديل	DE AURA Phoenix
نوع المنتج	مدفأة غاز للأماكن الخارجية
التصميم	برج قائم بقاعدة سداسية وقفص بتصميم موجي
التشطيب	أسود
الميزات	نظام لهب بأنبوب زجاجي وعاكس من قطعة واحدة

السلامة

منع الانقلاب	يغلق الغاز تلقائيا عند ميلان المدفأة أو سقوطها
جهاز الإيقاف	يضمن التشغيل الآمن ويمنع تسرب الغاز

الأبعاد والوزن

الارتفاع الكلي	2270 mm (2.27 m)

القدرة والوقود

القدرة الحرارية	Max. 13 kW (945 g/h)
نوع الوقود	بروبان وبيوتان وخلائط غاز البترول المسال
أسطوانة الغاز	أسطوانة غاز البترول المسال القياسية (غير مشمولة)

غير مشمول

الملحقات	منظم الغاز وأسطوانة الغاز (يباعان بشكل منفصل)

منظم الغاز وأسطوانة الغاز غير مشمولين ويباعان بشكل منفصل.



الفئة المميزة

Fire Pit Glass Heater

مدفأة غاز زجاجية بتصميم موقد النار

للبيع | للإيجار

مدفأة غاز مربعة بتصميم موقد النار، تحيط بلهبها ألواح زجاجية وتزينها حجارة ديكورية، مع عجلات للتنقل. خفيفة الوزن (13 كجم) ومصنوعة من فولاذ مطلي بالبودرة.

الميزات الرئيسية

- ألواح زجاجية تحيط باللهب
- عجلات لسهولة التنقل
- حماية عند انطفاء اللهب
- إضاءة بترموستات قابلة للتعديل
- مدة التشغيل 5 – 13 ساعة

13 kW
القدرة الحرارية

1460 mm (1.46 m)
الارتفاع الكلي

13 kg
الوزن

5 – 13 ساعة
مدة التشغيل

المواصفات الفنية

مواصفات إضافية متاحة عند الطلب.

عام

الموديل	Fire Pit Gas Heater
نوع المنتج	مدفأة غاز زجاجية بتصميم موقد النار
المادة	فولاذ مطلي بالبودرة
الشكل	مربع
التشطيب	أسود

التحكم

الإضاءة	إضاءة بترموستات قابلة للتعديل

السلامة

السلامة	حماية عند انطفاء اللهب

الأبعاد والوزن

الأبعاد	146 × 42 × 42 cm
الوزن	13 kg

القدرة والوقود

القدرة الحرارية	13 kW
استهلاك الغاز	من 0.52 إلى 0.95 kg/h
أسطوانة الغاز	غاز البترول المسال، حتى 11 كجم (غير مشمولة)
مدة التشغيل	5 – 13 ساعة
خيارات الغاز	الغاز الطبيعي: 3 خيارات

غير مشمول

الملحقات	منظم الغاز وأسطوانة الغاز (يباعان بشكل منفصل)

منظم الغاز وأسطوانة الغاز غير مشمولين ويباعان بشكل منفصل.

السلامة

السلامة أولا.

تختلف ميزات السلامة حسب الموديل. راجع ورقة بيانات كل منتج.

مفتاح منع الانقلاب

يقطع تدفق الغاز تلقائيا عند ميلان المدفأة أو سقوطها.

إيقاف تلقائي

يعزز السلامة ويمنع تسرب الغاز.

حماية من انطفاء اللهب

يوقف إمداد الغاز إذا انطفأ اللهب عن طريق الخطأ.

معلومات مهمة

غير مخصصة للاستخدام تحت المطر	مثل جميع مدافئ الباحات، يجب عدم استخدامها تحت المطر.
منظم الغاز والأسطوانة	غير مشمولين. يباعان بشكل منفصل.
معتمدة في دبي	مدفأة HD Pyramid معتمدة من الدفاع المدني في دبي.

متوفر للبيع والإيجار

تواصل معنا للحجز أو الشراء.

مستودع 8، القصيص 2، دبي، الإمارات العربية المتحدة

+971 50 2251 056 www.deaura.ae

منظم الغاز وأسطوانة الغاز غير مشمولين ويباعان بشكل منفصل.